


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#)

quantum communications Found
 Terms used: 1,442
 quantum communications of
 254,304

 Sort
 results
 by
 Display
 results


[Save](#) [Refine](#)
[results](#)
[to a](#)
[Binder](#)

 these
 results
 with
 Advanced

[Search](#)
☐ Open
 results
 in a new
 window

 Try this
 search
 in [The](#)
[ACM](#)
[Guide](#)

 Results 1 - 20 of 1,442 Result page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

>>

1 [Tensor norms and the classical communication complexity of nonlocal quantum measurement](#)



Yaoyun Shi

 May STOC '05: Proceedings of the thirty-seventh annual ACM symposium on
 2005 Theory of computing

Publisher: ACM

Full text available: Pdf (202.30 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 53, Citation Count: 0

Nonlocality is at the heart of quantum information processing. In this paper we investigate the minimum amount of classical communication required to simulate a nonlocal quantum measurement. We derive general upper bounds, which in turn translate to ...

Keyw ords: bell inequality, classical simulation, communication complexity, fourier sampling problem, quantum entanglement, tensor norms

2 [On communication over an entanglement-assisted quantum channel](#)



Ashwin Nayak, Julia Salzman

May STOC '02: Proceedings of the thirty-fourth annual ACM symposium on Theory of computing 2002

Publisher: ACM

Full text available: Pdf (172.21 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 30, Citation Count: 2

Shared entanglement is a resource available to parties communicating over a quantum channel, much akin to public coins in classical communication protocols. Whereas shared randomness does not help in the transmission of information, or significantly ...

Keywords: communication complexity, entanglement-assisted quantum channel, quantum communication

3 [Bounded-error quantum state identification and exponential separations in communication complexity](#)



Dmitry Gavinsky, Julia Kempe, Oded Regev, Ronald de Wolf

May STOC '06: Proceedings of the thirty-eighth annual ACM symposium on Theory of computing 2006

Publisher: ACM

Full text available: Pdf (285.55 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 45, Citation Count: 1

We consider the problem of bounded-error quantum state identification: given either state α_0 or state α_1 , we are required to output '0', '1' or 'DONO' ("don't know"), such that conditioned on outputting '0' or '1', our ...

Keywords: communication complexity, entanglement, quantum computing, randomness, state identification

4 [The pattern matrix method for lower bounds on quantum communication](#)



Alexander A. Sherstov

May STOC '08: Proceedings of the 40th annual ACM symposium on Theory of computing 2008

Publisher: ACM

Full text available: Pdf (285.52 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 16, Downloads (12 Months): 60, Citation Count: 0

In a breakthrough result, Razborov (2003) gave optimal lower bounds on the communication complexity of every function f of the form $f(x,y)=D(|x \text{ AND } y|)$ for some $D:\{0,1,\dots,n\}\rightarrow\{0,1\}$, in the bounded-error quantum model with and without prior entanglement. ...

Keyw ords: approximate degree of boolean functions, bounded-error communication, lower bounds, quantum communication complexity

5 [Exponential separations for one-way quantum communication complexity, with applications to cryptography](#)



Dmitry Gavinsky, Julia Kempe, Iordanis Kerenidis, Ran Raz, Ronald de Wolf
June 2007 STOC '07: Proceedings of the thirty-ninth annual ACM symposium on Theory of computing

Publisher: ACM

Full text available: Pdf (303.17 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 11, Downloads (12 Months): 101, Citation Count: 0

We give an exponential separation between one-way quantum and classical communication protocols for twopartial Boolean functions, both of which are variants of the Boolean Hidden Matching Problem of Bar-Yossef et al. Earlier such an exponential separation ...

Keyw ords: communication complexity, cryptography, quantum

6 [Exponential separation of quantum and classical one-way communication complexity](#)



Ziv Bar-Yossef, T. S. Jayram, Iordanis Kerenidis
June 2004 STOC '04: Proceedings of the thirty-sixth annual ACM symposium on Theory of computing

Publisher: ACM

Full text available: Pdf (244.61 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 33, Citation Count: 5

We give the first exponential separation between quantum and bounded-error randomized one-way communication complexity. Specifically, we define the Hidden Matching Problem HM n : Alice gets as input a string $x \in \{0, 1\}^n$ and ...

Keyw ords: communication complexity, hidden matching, quantum computation, separation

7 [On quantum and probabilistic communication: Las Vegas and one-way protocols](#)



Hartmut Klauck

May 2000 STOC '00: Proceedings of the thirty-second annual ACM symposium on Theory of computing

Publisher: ACM

Full text available: Pdf (917.21 KB)

Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 31, Citation Count: 7

8 [Interaction in quantum communication and the complexity of set disjointness](#)



Hartmut Klauck, Ashwin Nayak, Amnon Ta-Shma, David Zuckerman

July 2001 STOC '01: Proceedings of the thirty-third annual ACM symposium on Theory of computing

Publisher: ACM

Full text available: Pdf (256.93 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 23, Citation Count: 9

One of the most intriguing facts about communication using quantum states is that these states cannot be used to transmit more classical bits than the number of qubits used, yet in some scenarios there are ways of conveying information with exponentially ...

9 [Quantum vs. classical communication and computation](#)



Harry Buhrman, Richard Cleve, Avi Wigderson

May 1998 STOC '98: Proceedings of the thirtieth annual ACM symposium on Theory of computing

Publisher: ACM

Full text available: Pdf (832.00 KB)

Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 114, Citation Count: 24

10 Exponential separation of quantum and classical communication complexity



Ran Raz

May 1999 STOC '99: Proceedings of the thirty-first annual ACM symposium on Theory of computing

Publisher: ACM

Full text available: Pdf (872.24 KB)

Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 19, Citation Count: 12

11 The effect of communication costs in solid-state quantum computing architectures



Dean Copsey, Mark Oskin, Tzvetan Metodiev, Frederic T. Chong, Isaac Chuang, John Kubiatiowicz

June 2003 SPAA '03: Proceedings of the fifteenth annual ACM symposium on Parallel algorithms and architectures

Publisher: ACM

Full text available: Pdf (149.00 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 51, Citation Count: 6

Quantum computation has become an intriguing technology with which to attack difficult problems and to enhance system security. Quantum algorithms, however, have been analyzed under idealized assumptions without important physical constraints in mind. ...

Keywords: quantum architecture, quantum computing, silicon-based quantum computing

12 Smaller Two-Qubit Circuits for Quantum Communication and Computation

Vivek V. Shende, Igor L. Markov, Stephen S. Bullock

February 2004 DATE '04: Proceedings of the conference on Design, automation and test in Europe - Volume 2, Volume 2

Publisher: IEEE Computer Society

Full text available: Pdf (155.53 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 27, Citation Count: 2


We show how to implement an arbitrary two-qubit unitary operation using any of several quantum gate libraries with small a priori upper bounds on gate counts. In analogy to library-less logic synthesis, we consider circuits and gates in terms of the ...

13 [Long distance quantum communication using quantum error correction](#)

Robert M. Gingrich, Hwang Lee, Jonathan P. Dowling

January WISICT '04: Proceedings of the winter international symposium on
2004 Information and communication technologies

Publisher: Trinity College Dublin

Full text available:  Pdf (103.28
KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 23, Citation Count: 0

Currently long distance quantum communication is limited by the photon loss. We describe a quantum error correction scheme that can increase the *effective* absorption length of the communication channel. This device can play the role of a quantum ...


14 [Classical versus quantum communication complexity](#)



Amnon Ta-Shma

September 1999 ACM SIGACT News, Volume 30 Issue 3

Publisher: ACM

Full text available:  Pdf (646.32
KB)

Additional Information: [full citation](#), [abstract](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 39, Citation Count: 3

Classical communication complexity has been intensively studied since its conception two decades ago. Recently, its quantum analogue, the quantum communication complexity model, was defined and studied. In this paper we present some of the main results ...


15 [A quantum no-key protocol for secure data communication](#)



Yoshito Kanamori, Seong-Moo Yoo, Mohammad Al-Shurman

March ACM-SE 43: Proceedings of the 43rd annual Southeast regional
2005 conference - Volume 2, Volume 2

Publisher: ACM

Full text available:  Pdf (340.64
KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 47, Citation Count: 0

Since classical cryptography relies on difficulty and infeasibility of computation to find the plain text, the cryptography is losing security more and more as computational power is increased by technical innovations. Therefore, unconditionally secure ...


16 Quantum information processing and communication: the computer science

perspective

Philippe Jorrand

March ACM-SE 45: Proceedings of the 45th annual southeast regional conference 2007

Publisher: ACM

Full text available:  Pdf (69.00 KB)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 58, Citation Count: 0


Information is physical: the laws which govern its encoding, processing and communication are those of its unavoidable physical embodiment. In today's computing, information obeys the laws of Newton's and Maxwell's classical physics: this assertion holds ...

17 Limits on the ability of quantum states to convey classical messages

Ashwin Nayak, Julia Salzman

January 2006 Journal of the ACM (JACM), Volume 53 Issue 1

Publisher: ACM

Full text available:  Pdf (171.65 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 100, Citation Count: 0

We revisit the problem of conveying classical messages by transmitting quantum states, and derive new, optimal bounds on the number of quantum bits required for this task. Much of the previous work on this problem, and on other communication tasks in ...


Keyw ords: Communication complexity, Holevo bound, Inner Product function, entanglement-assisted quantum channel, information theory, lower bounds, privacy amplification, quantum communication, shared entanglement, superdense coding

18 Infrastructure for the quantum internet

Seth Lloyd, Jeffrey H. Shapiro, Franco N. C. Wong, Prem Kumar, Selim M. Shahriar, Horace P. Yuen

October ACM SIGCOMM Computer Communication Review, Volume 34 Issue 5 2004

Publisher: ACM

Full text available:  Pdf (726.84 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 73, Citation Count: 0

A team of researchers from the Massachusetts Institute of Technology (MIT) and Northwestern University (NU) is developing a system for long-distance, high-fidelity qubit teleportation. Such a system will be required if future quantum computers are to ...

Keywords: entanglement, quantum communication, quantum memory, qubits, teleportation

19 Dense quantum coding and quantum finite automata



Andris Ambainis, Ashwin Nayak, Amnon Ta-Shma, Umesh Vazirani
July 2002 Journal of the ACM (JACM), Volume 49 Issue 4

Publisher: ACM

Full text available: Pdf (165.61 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 79, Citation Count: 6

We consider the possibility of encoding m classical bits into many fewer n quantum bits (qubits) so that an arbitrary bit from the original m bits can be recovered with good probability. We show that nontrivial quantum codes exist ...

Keywords: Automaton size, communication complexity, encoding, finite automata, quantum communication, quantum computation

20 Communicating quantum processes



Simon J. Gay, Rajagopal Nagarajan
January 2005 POPL '05: Proceedings of the 32nd ACM SIGPLAN-SIGACT symposium on Principles of programming languages

Publisher: ACM

Full text available: Pdf (247.88 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 83, Citation Count: 7

We define a language CQP (Communicating Quantum Processes) for modelling systems which combine quantum and classical communication and computation. CQP combines the communication primitives of the pi-calculus with primitives for measurement and transformation ...

Keywords: formal language, quantum communication, quantum computing, semantics, types, verification

Results 1 - 20 of 1,442 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

[>>](#)

The ACM

Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)